

Distribution of a Generic Mission Planning and Scheduling Toolkit  
for Astronomical Spacecraft

Contract NAS5-32800

Annual Progress Report No. 1

For the period 19 October 1994 through 18 October 1995

Principal Investigator:

Dr. Steven C. Kleiner

January 1996

Prepared for

National Aeronautics and Space Administration  
Goddard Space Flight Center  
Greenbelt, MD 20771

Smithsonian Institution  
Astrophysical Observatory  
Cambridge, Massachusetts 02138-1596

The Smithsonian Astrophysical Observatory  
is a member of the  
Harvard-Smithsonian Center for Astrophysics

The NASA Technical Officer for this grant is Dr. Donald K. West, Code 684.1, Goddard Space  
Flight Center, Greenbelt Road, Greenbelt, MD 20771



Distribution of a Generic Mission Planning and Scheduling Toolkit  
for Astronomical Spacecraft  
Contract NAS5-32800  
Annual Progress Report No. 1  
For the Period 19 October 1994 through 18 October 1995

This is the first annual progress report for our ADP contract "Distribution of a Generic Mission Planning and Scheduling Toolkit for Astronomical Spacecraft."

Work is progressing as outlined in the Statement of Work and proposal for this contract.

A working planning and scheduling system has been documented and packaged and made available to the WIRE Small Explorer group at JPL, the FUSE group at JHU, the NASA/GSFC Laboratory for Astronomy and Solar Physics and the Advanced Planning and Scheduling Branch at STScI.

The package is running successfully on the WIRE computer system and appears to have been well received. The system was recompiled under a different compiler on a different operating system within a few hours and required only a handful of trivial changes. This ease of portability is unusual and speaks well of the coding standards applied to the work. It is anticipated that the WIRE planning and scheduling system will reuse significant portions of the SWAS code in the course of its development.

This scheduling system itself has been successfully run against the spacecraft hardware in end-to-end string tests run in December 1995. In addition to the functionality described in the original proposal, a fully automatic scheduling module has been developed and is being added to the toolkit.

In order to maximize reuse, the code is being reorganized during the current build into object-oriented class libraries with the intent of migration to C++. With this restructuring individual tools which were originally several hundred to a thousand lines of code can now be written in less than a hundred lines. The automatic scheduling tool, for example, is eighty-eight lines long. The class libraries compiled so far include:

Constants/	physical and SWAS-specific constants
Event/	event generation and processing
Map/	mapping attributes
Obsmode/	obsmode manipulation and calculations
Quat/	quaternion manipulation
Schedule/	scheduling functions
Segment/	segment operations
Target/	target procedures
Time/	time manipulation
Timeline/	timeline formatting

The SWAS planning and scheduling toolkit was described in a talk at the 1994 Astronomical Data Analysis and Software Systems symposium in Baltimore MD. A paper based on that talk has been written and is included in the software distribution.

The only significant difficulty encountered so far is with respect to configuration management. Two versions of the SWAS planning and scheduling toolkit are maintained: a production version for use in actually operating SWAS and an export version for distribution under this contract. Each of these versions generally exists in two forms - a baseline

and a development version. Thus at any given time four very similar but different versions of the code must be managed. This has already led to problems in the export code where directories assigned to the production version were being referenced. This misassignment did not become obvious until the code was transported to a different machine where the production directories did not exist.

The real concern however is the possibility that configuration management problems with the export code cause interference with the production code required for SWAS flight operations. For example the export scheduler is supplied with a dummy target list since it would be inappropriate to distribute the real target list compiled by the SWAS science team. If the dummy target list were inadvertently referenced instead of the real target list, an invalid timeline would be produced for the spacecraft.

The availability of low-cost PCs running UNIX clones such as Linux make it cost effective to preserve the integrity of both versions of the SWAS toolkit by offloading the export version onto a standalone PC. This possibility is being investigated and we expect to request reprogramming of contract funds sufficient to cover the cost of a PC.

**Attachments:**

- (1) The "Readme" page for the general SWAS toolkit description describing the export package.
- (2) The "Readme" page giving an overview of the scheduling toolkit.
- (3) The "Readme" describing the SWAS graphics demos.
- (4) The summary output page from the SWAS automatic scheduling tool. The summary notes that the scheduler was able to use 95.6% of the orbit for science observations. The remaining gaps will be used for required instrument calibration.
- (5) The paper describing the SWAS toolkit.

```
/* ----- */
      this is file "Readme.swas_distribution"
```

SWAS    Submillimeter Wave Astronomy Satellite        NASA GSFC / SAO  
         Planning and Scheduling System Distribution   12/95

corrected 12/29/95 - fixed location of JPLEPH JPL ephemeris file

```
/* ----- */
```

SWAS Planning and Scheduling System Snapshot    12/95

A planning and scheduling system for astronomical  
spacecraft is available for use by other missions.

The Submillimeter Wave Astronomy Satellite is a NASA Small Explorer spacecraft to be launched in 1996. The 285 kg spacecraft will carry a 0.6m 500 GHz submillimeter wavelength radio telescope to a 600 km altitude. The instrument will observe molecular and atomic line emission from H2O, 13CO, H218O, O2 and CI to study galactic chemistry and star formations at frequencies where the atmosphere is essentially opaque.

The current working version (including source code) of the planning and scheduling system for the SWAS spacecraft is available at the FTP site

cfa-ftp.harvard.edu    in the directory        outgoing/SWAS

or as URL                ftp://cfa-ftp.harvard.edu/outgoing/SWAS

The directory should contain:

Readme.swas_dist	the overall SWAS software distribution
Readme.swas_graphics	SWAS graphics demos description
Readme.swas_scheduler	SWAS scheduling software description

swas_paper.ps.Z	postscript paper describing the SWAS scheduler
swas_graphics.tar.Z	graphics displays developed for the scheduler
swas_scheduler.tar.Z	the actual SWAS scheduler

README files have been added throughout describing the operation of the code. The code requires only ANSI C and the basic XLIB libraries in order to compile.

The NASA Small Explorer Program emphasizes the development of smaller, cheaper and faster science missions. These constraints required us to develop a small and simple but yet fully functional scheduling system. These same attributes should make the SWAS scheduler suitable as the basis (in part or in whole) for other astronomical scheduling systems or serve as the source of ideas, algorithms or code for other systems. The NASA Astrophysics Data Processing program has recognized the potential utility of the SWAS scheduler and has provided support for the packaging and distribution of the scheduler.

The scheduler included here is a snapshot of the development system as of Winter 1995. The system has been successfully tested against the spacecraft hardware.

Please feel free to email me any questions or comments.

```
-----
| The distribution of this scheduling system is |
| supported by NASA/GSFC contract NAS5 - 32800. |
| All code and text copyright 10/1/95 SAO |
|-----|
```

```
/* ----- */
    this is file "Readme.swas_scheduler"

    SWAS    Submillimeter Wave Astronomy Satellite    NASA GSFC / SAO
           Planning and Scheduling System Distribution 12/95

/* ----- */

    Revised version 12/29/95 - corrected error in
    location of JPLEPH JPL ephemeris file
```

The directories below contain a snapshot of the planning and scheduling system being developed for the SWAS Small Explorer spacecraft.

## I. Running the scheduler

1. Create a directory at the same level as the existing directories or change directory to the "test" directory.
2. Type "../bin/schedule" to create a new timeline.
3. Type "../bin/sched\_clean" to delete the intermediate product files.

There are two shell scripts in in the "bin" directory:

"Schedule" will run all the scheduling tools to create a timeline in the current working directory.

"Sched\_clean" will delete the intermediate product files after the timeline is complete.

The only non-obvious step is for msched, the manual scheduler. You will see a color coded display of rise-and set events. Clicking once on a \_colored\_ slice will place that event on the schedule. The event is then outlined in red. Clicking on a colored slice in a scheduled event will remove that rise-and-set event from the schedule.

## II. The Scheduling Modules

The scheduler consists of a series of modules:

orbgen generates model orbit data  
slpgen generates solar lunar and planetary files  
slpsched checks targets for their position w.r.t. the Sun  
ggs7 (get guide stars) extracts suitable guide stars for the star tracker  
eventgen generates rise-and-set events in the orbital plane for each target  
efilt is an event filter which selects the highest scoring events for scheduling  
msched3 is the manual scheduler  
tlgen5 is the fifth version of the timeline generator

"../catalogs" contains the target list and guide star catalog

## III. Other Modules

Constants/	miscellaneous constants
Design/	file formats, program design
Map/	generate map positions
Obsmode.h	list of SWAS observing modes
Quat/	quaternion manipulation library
Timeline/	code to scan timelines
allsky/	misc code for all sky projections

bin/	scripts for running scheduler
bineph/	code to read NASA binary ephemeris files
catalogs/	guide star and target catalogs
check_gs/	guide star selection diagnostics
efilt/	event filter to select best events at each time
eventgen/	generate target rise and set events
ggs7/	get guide stars
maps/	generate map coordinates for data reduction
msched3/	manual scheduler
orbgen/	model orbit generator
psat/	process NASA predictive site acquisition table
sel_mode/	demo graphical user interface for selecting modes
slpgen/	generate solar system positions from JPL ephemeris
slpsched/	planetary positions and Solar viewing constraints
src_misc/	useful miscellaneous source code
test/	empty test directory
tlcheck/	slew angle calculations
tlgen5/	generate timeline from selected events
tools/	coordinate transformation, format target catalogs

#### IV. Compiling the Code

-----  
The included executables are for Sun OS 4.1.3. In general all source code is ANSI C and was compiled with the SUN 'acc' compiler. The GNU 'gcc' compiler with the -ansi switch should work as well. (The '-lm' switch to load the math library might also be needed.) The X window graphics require only the Xlib library, usually specified by the -lX11 argument. Typically the compilation sequence is

```
acc -o <executable_name> <source1.c>...<sourceN.c> -lX11
```

----- The distribution of this scheduling system is supported by NASA/GSFC contract NAS5 - 32800. All code and text copyright 10/1/95 SAO -----
---

Steve Kleiner

kleiner@cfa.harvard.edu

```
/* ----- */
    this is file "Readme.swas_graphics"

    SWAS    Submillimeter Wave Astronomy Satellite    NASA GSFC / SAO
            Planning and Scheduling System Distribution 12/95
/* ----- */
```

### SWAS Graphics

This is a collection of graphics display developed for the SWAS planning and scheduling system. They were used to define and visualize the scheduling problem and will eventually be folded back into the production scheduler used for day to day scheduling.

This SWAS graphics collection consists of the following items:

README.swas_graphics	the current file
guide_star_movie/	animation showing the guide star selection algorithm
slew_graphics/	graphics showing the path of slews on the sky
viewing_constraints/	graphics displaying the SWAS viewing constraints
year_view/	a year-at-a-glance planning tool.

Each directory contains a README file providing more detailed information.

```
-----
| The distribution of this scheduling system is |
| supported by NASA/GSFC contract NAS5 - 32800. |
| All code and text copyright 10/1/95 SAO       |
|-----|
```

Steve Kleiner

kleiner@cfa.harvard.edu



SWAS Automatic Scheduler

Fri Dec 15 14:20:51 1995

## Schedule Summary for 10/25/95

targ\_read\_targets: 100      targets read from 298.targ  
                          100      sky targets, 0      cal targets  
 sched\_read\_events: 1525      target rise and set events read

Scheduling Requirements				orbits scheduled			
-----				orbits available			
				orbits requested			
				days to Sun			
rank	target name	class	priority	duration			
1	S140	GCC	1	40.09	120.0	4	16
2	W49	GCC	2	39.62	7.0	4	16
3	W51	GCC	2	39.55	13.1	4	12
4	S106	GCC	2	39.64	50.1	4	8
5	DR21	GCC	2	39.73	60.3	4	4
7	06056+2131	GCC	2	39.81	168.2	4	14
8	S252A	GCC	2	39.80	168.2	4	10
9	06058+2138	GCC	2	39.76	168.2	4	6
10	S255	GCC	2	39.73	169.3	4	4
42	G261.6-2.1	GCC	4	39.84	242.8	3	16
52	DC253.1-1.7A	DCC	3	39.76	225.9	2	13
53	DC267.4-7.5	DCC	3	40.03	259.7	2	11
62	DC253.3-1.6	DCC	4	39.73	226.1	2	9
63	CG1	DCC	4	40.10	226.5	2	7
64	ESO210	DCC	4	40.02	259.7	2	5
65	DC267.7-7.4	DCC	4	40.02	260.3	2	3
71	RZ_SGR	STA	3	36.61	11.3	2	1

## Schedule Summary

class	number of observations		
	time (hrs)	time (percentage)	
GCC	41	20.6	77.3 %
DCC	12	4.4	16.6 %
STA	1	0.4	1.6 %
GAP	12	1.2	4.4 %
-----			
TOTAL	66	26.6*	100.0 %

\* Note that schedule may exceed 24 hours at this stage.

# A Graphical Planning and Scheduling Toolkit for Astronomical Spacecraft

S.C. Kleiner

*Smithsonian Astrophysical Observatory, 60 Garden Street, Cambridge  
MA 02138, (kleiner@cfa.harvard.edu)*

## Abstract.

A small yet powerful planning and scheduling toolkit has been built for the SWAS Small Explorer spacecraft. It makes extensive use of graphics to illuminate the planning and scheduling process.

The simple design, minimal resource requirements and easy extensibility of the SWAS planning and scheduling toolkit should make it useful for other space astronomy missions. A release of the toolkit for general use is planned shortly.



## 1. The SWAS Mission

The Submillimeter Wave Astronomy Satellite is a 500lb NASA Small Explorer spacecraft to be placed in low Earth orbit by a Pegasus XL launch vehicle in 1995. It will investigate the chemistry and energetics of star forming molecular clouds via the simultaneous observation of the O<sub>2</sub>, CI, H<sub>2</sub>O and <sup>13</sup>CO spectral lines in the 487-557  $\mu$ m (538-615 GHz) range. The mission was proposed by the Smithsonian Astrophysical Observatory in Cambridge MA, which has the responsibility for the scientific component of the mission. The mission is managed by the Goddard Space Flight Center.

The science instrument consists of a 0.65m dual receiver radio telescope with an acousto-optical spectrometer backend. The spectrometer is read out every two seconds for the life of the mission, producing 100MB of raw data every day. SWAS will observe 50 - 100 targets a day. The minimum planned mission duration is two years.

SWAS is the first astronomical Small Explorer, a series of missions to be developed under a "smaller, cheaper, faster" imperative. The turnaround time for SWAS, for example, should be about five years from acceptance of proposal to launch. The SAO Science Operations Center responsible for the development and operation of the science ground system consists of six scientists, including Principal Investigator Gary Melnick and Project Scientist John Stauffer. The planning toolkit described below was designed and written in two years by the SWAS Planning Scientist.








Figure 4. Guide Star Selection Display. Grid spacing is  $1^\circ$ . The central square is the star tracker field of view. Open circles denote potential guide stars, filled circles the selected guide stars.

Earth horizon and the entry and exit of a target into pointing avoidance regions around the Sun and the Moon. The toolkit is extended by defining new events and adding the appropriate filters. Since SWAS uses the planets for calibration, the toolkit can also schedule planetary pointings. Calculations are done in orbit relative time rather than absolute time to minimize the effect of uncertainties in predictive ephemerides. The toolkit is fast enough that the same tools are used both for long range planning and short term scheduling. The planning toolkit consists of about a dozen tools, less than ten thousand lines of ANSI C code in total. It makes only plain Xlib calls for the graphics and does not make any Unix system calls.

### 3. SWAS Planning and Scheduling Graphics

Figures 1 - 4 were color graphics which have been reduced in size and converted to greyscale. Their legibility suffers greatly as a result.

Figure 1 is a planning display showing target visibilities over the course of the year. The lighter bands running from top left to bottom right are days in which the target is too close to the Sun. (SWAS has 75-120° Sun, 40° Earth and 15° Moon pointing constraints.) We have found by experience that long term planning is driven primarily by the position of the Sun with respect to the target. Therefore, for any given week targets going into the Sun soonest are given the highest scheduling priority.

Figure 2 shows pointing constraints as seen from the orbital plane. The Sun is near the north orbital pole and the lighter swaths are regions of the sky which violate the SWAS Sun pointing constraint. The small black squares are potential targets, but only those which satisfy the pointing constraints at some time in the orbit are labeled by the software.

Figure 3 is the interactive scheduling display showing five orbits. Each rectangle represents the rise and set of a target during an orbit. The rectangles are filled and shaded according to the target's scientific interest and scheduling efficiency. The scheduling scientist uses a mouse to point and click to select or deselect a target for inclusion into the timeline sent to the spacecraft, as indicated by their heavy black outline around selected targets.

Figure 4 displays the potential guide stars around the target RCW53. The stars are taken from the guide star catalog created for the BASG CT601 star tracker aboard SWAS. Open circles are the guide stars from the catalog, the filled circles are the guide stars which have been selected by the planning and scheduling toolkit. The guide stars are selected on the basis of their brightness and their distance from the edge of the star tracker FOV and from other guide stars which might be confused with the intended guide star. The two large circles identify the base guide stars which are aquired first after a slew. The radii of the circles denote the size of the slew induced pointing error which can tolerated before confusing the base star with another star.

### References

- Stauffer, J. 1993, "Creation of a Guide Star Catalog for the BASG CT-601 Startracker", SWAS Technical Memorandum

# REPORT DOCUMENTATION PAGE

Form Approved  
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

<b>1. AGENCY USE ONLY (Leave blank)</b>		<b>2. REPORT DATE</b> January 1996	<b>3. REPORT TYPE AND DATES COVERED</b> Contractor Report	
<b>4. TITLE AND SUBTITLE</b> Distribution of a Generic Mission Planning and Scheduling Toolkit for Astronomical Spacecraft—Progress Report No. 1			<b>5. FUNDING NUMBERS</b>  Code 684.1 Contract: NAS5-32800	
<b>6. AUTHOR(S)</b>  PI: Dr. Steven C. Kleiner				
<b>7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)</b> Smithsonian Astrophysical Observatory MS66 60 Garden Street Cambridge, MA 02138-1596			<b>8. PERFORMING ORGANIZATION REPORT NUMBER</b>	
<b>9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)</b> NASA Aeronautics and Space Administration Washington, D.C. 20546-0001			<b>10. SPONSORING/MONITORING AGENCY REPORT NUMBER</b>  CR-203629✓	
<b>11. SUPPLEMENTARY NOTES</b>  Technical Monitor: D. West, Code 684.1				
<b>12a. DISTRIBUTION/AVAILABILITY STATEMENT</b> Unclassified-Unlimited Subject Category: 89 Report available from the NASA Center for AeroSpace Information, 800 Elkridge Landing Road, Linthicum Heights, MD 21090; (301) 621-0390.			<b>12b. DISTRIBUTION CODE</b>	
<b>13. ABSTRACT (Maximum 200 words)</b> <p>Work is progressing as outlined in the proposal for this contract. A working planning and scheduling system has been documented and packaged and made available to the WIRE Small Explorer group at JPL, the FUSE group at JHU, the NASA/GSFC Laboratory for Astronomy and Solar Physics and the Advanced Planning and Scheduling Branch at STScI.</p> <p>The package is running successfully on the WIRE computer system. It is expected that the WIRE will reuse significant portions of the SWAS code in its system.</p> <p>This scheduling system itself was tested successfully against the spacecraft hardware in December 1995. A fully automatic scheduling module has been developed and is being added to the toolkit.</p> <p>In order to maximize reuse, the code is being reorganized during the current build into object-oriented class libraries. A paper describing the toolkit has been written and is included in the software distribution.</p> <p>We have experienced interference between the export and production versions of the toolkit. We will be requesting permission to reprogram funds in order to purchase a standalone PC onto which to offload the export version.</p>				
<b>14. SUBJECT TERMS</b> planning, scheduling, space astronomy			<b>15. NUMBER OF PAGES</b> 14	
			<b>16. PRICE CODE</b>	
<b>17. SECURITY CLASSIFICATION OF REPORT</b> Unclassified	<b>18. SECURITY CLASSIFICATION OF THIS PAGE</b> Unclassified	<b>19. SECURITY CLASSIFICATION OF ABSTRACT</b> Unclassified	<b>20. LIMITATION OF ABSTRACT</b> Unlimited	

